

SAFETY DATA SHEET

Blue Gold Industrial Cleaner

Revision Date

4/12/2016

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Blue Gold Industrial Cleaner

ITEM 109 (360-MC)

PRODUCT USE Hard Surface Cleaner / Degreaser

COMPANY NAME Modern Chemical, Inc.

Office Fax Web (501) 988-1311

P.O. Box 368

Fax

(501) 988-2229

Jacksonville

72078

www.bluegoldcleaner.com

EMERGENCY TELEPHONE NUMBER

AR

INFOTRAC (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

Physical Hazards None

Danger

Health Hazards

EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3

Classification (EC 1272/2008) Label In Accordance with (EC) No. 1272/2008

Irritant (skin)
Respiratory Tract Irritant

Eye Damage

----- See "Section -16" for "Hazard and Precautionary Statements with Codes"

Causes serious eye damage, Causes skin irritation, May cause respiratory irritation

May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and inhalation of mist, Use personal protective

equipment as required, Wash thoroughly after handling, Avoid release into the environment

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret) COMPOSITION INFORMATION SECTION - 3 PERCENT **IMPURITIES** CAS# COMMON NAME AND SYNONYMS **CHEMICAL NAME** 7 - 10% Diethylene Glycol Monobutyl Ether 112-34-5 2-(2-Butoxyethoxy)ethanol 4 - 9% 10213-79-3 Disodium Trioxosilicate Sodium Metasilicate Pentahydrate 1 - 5%Nonylphenyl-polyethylene glycol 9016-45-9 Nonylphenol Ethoxylate

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact

lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate

medical attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If

irritation is present or occurs obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical

attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the

lungs

Aspiration Hazard Not considered to be an aspiration hazard

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Can cause skin irritation, redness, drying or cracking
Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage

Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Slight acute toxicity if

swallowed

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Incompatible with, strong oxidizing agents, strong acids

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

ACCIDENTAL RELEASE MEASURES SECTION - 6

Warn personnel of spill **Emergency Procedures**

Ventilate area, Avoid slipping on spilled product Personal Precautions Safety Glasses, Chemical Gloves and Rubber Boots **Protective Equipment**

Use absorbent socks or pads to prevent spill from spreading Containment

Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Clean Up Procedures

Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container

Vacuum or sweep up material and place in a disposal container

Dispose of material in accordance with all State and Federal Guidelines and Regulations Disposal

HANDLING AND STORAGE SECTION - 7

Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid Handling

inhalation of mist, May cause respiratory irritation, Harmful if swallowed, Wash thoroughly after handling, Avoid

release to the environment

KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible Storage

Incompatible with, strong oxidizing agents, strong acids Incompatible Materials

EXPOSURE CONTROLS / PERSONAL PROTECTION SECTION - 8

SECTION = 8 EXPOSSIVE CONTI	.0_0,1,				Significant
EXPOSURE LIMITS CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Exposure
2-(2-Butoxyethoxy)ethanol	10 ppm None Established				ED
Nonylphenol Ethoxylate Sodium Metasilicate Pentahydrate	None Established				

PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Eye Wash and Safety Shower (Recommended)

Ventilation

General Ventilation

Ventilate to keep vapors of this material below the lowest ppm listed above. If over Threshold Limit Value use a MSHA / NIOSH approved respirator

HMIS HAZARD RATINGS

Health Flammability Reactivity 0 **Personal Protection** B

Flash Point Flammable Limits Auto-Ignition Temp. Physical State Appearance	YSICAL AND CHEMICAL PROPERTIES >212°F (100°C) TAG Closed Cup ND ND Liquid Clear Blue	Specific Gravity / Density pH (± 0.3) Viscosity Freeze Point Boiling Point	1.08 13.0 ND ND ND
Odor Odor Threshold Solubility Volatiles VOC LVP-VOC	Peppermint ND 100% ND 0.5% at 5% dilution / 5 gm/L VOC in 5% dilution ND	Vapor Density (air=1) Vapor Pressure (mm Hg) Evaporation Rate (nBuAc=1) Partition Coefficient Molecular Weight (g/mol) Decomposition Temperature	ND ND ND ND ~82.44 ND

Reactivity (Specific Test Data) None available

Stable when stored below 49°C (120°F) **Chemical Stability**

Hazardous Polymerization Will not occur

Incompatible materials **Conditions To Avoid**

Incompatible with, strong oxidizing agents, strong acids Incompatible Materials

Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, sodium oxides, silicon Thermal Decomposition

oxides, and other toxic fumes

SECTION - 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Can cause skin irritation, redness, drying or cracking Skin Spray mist may cause mild irritation, to respiratory tract Inhalation

May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus Ingestion

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage Eyes

Causes skin irritation, redness, burning, drying or cracking Skin

Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract Inhalation

May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Slight acute toxicity if Ingestion

swallowed

Acute Tox Calculated

Oral:

9,977 mg/kg

Dermal:

15,710 mg/kg

Inhaled:

57.5 mg/L

Acute Tox Category

Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled > 20 mg/L) Vapors

Additional Info

Target Organs

Kidneys, Liver

Medical Conditions

Preexisting, liver, kidney, disorders may be aggravated by exposure to this product

In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption Notes to Physician

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME

NTP

ACGIH

IARC NA

NA

GHS Category

NA

None Listed

None Listed

NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME

Germ Cell Mutagenicity

Toxic to Reproduction

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	Type	<u>Form</u>	Subject	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
Honyiphonol Eurosyluse	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,991 mg/kg		(>2000 mg/kg)
Sodium Metasilicate Pentahydrate	LD50	Oral	Rat	847 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Rat	Dermal	> 5000 mg/kg		(>2000 mg/kg)
Glycol Ether DB	LD50	Oral	Rat	7,291 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	2,764 mg/kg		(>2000 mg/kg)

SECTION - 12 ECOLOGICAL I	NFORMATION				
CHEMICAL NAME	Type	Subject Subject Latin	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LC50	Bluegill (Lepomis macrochirus)	1.0 mg/L	96 Hours	2 (>1, ≤10 mg/L)
Nonyiphenor Euroxyide	EC50	Water Flea (Daphnia magna)	12.2 mg/L	48 Hours	3 (>10, ≤100 mg/L)
Sodium Metasilicate Pentahydrate	LC50	Zebrafish (Brachydanio rerio)	210 mg/L	96 Hours	4 (>100 mg/L)
Social Metasilisate Containy asset	EC50	Water Flea (Daphnia magna)	1700 mg/L	48 Hours	4 (>100 mg/L)
2-(2-Butoxyethoxy)ethanol	LC50	Fish (Leuciscus Idus)	1,300 mg/L	96 Hours	4 (>100 mg/L)
Z (Z Batoxyotnoxy)otnano.	EC50	Water Flea (Daphnia magna)	>100 mg/L	48 Hours	4 (>100 mg/L)

Presistence And Degradability

This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential

No data available

Mobility In Soil

This product is water soluble and will move readily in soil and water

Other Adverse Effects

Harmful to aquatic life

SECTION - 13 DISPOSAL CONSIDERATIONS

Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, State and Local Regulations.

ECTION – 14 TRANSPORT INFOR	MATION												
OT CLASSIFICATION													
UN Number				ping Nam		o.s. (Cl	nemical	s) or "Lin	nits"				
Not Regulated Non Haza	rdous – 0	Compour	ids Clear	ning Liqui	id								
Hazard Class Packing Group		Label (Codes	1	Report	able Qu		lbs)	Respoi		de	Marine	Pollutan No
None None		No	ne			Non	Э			154			INO
ECTION – 15 REGULATORY INF	ORMATIC	N											
SCA CHEMICAL NAME	Sec 8(b)	Inventory	Sec	8(d) Health	And Sa	fety	Se	c 4(a) Chem	ical Test R	Rules	Sec 12(l) Expor	t Notification
Glycol Ethers	Y	es											
Sodium Metasilicate Pentahydrate	Y	es											407-10
REPORTABLE QUANTITIES		Extremely H			CONTRACT MARK	rtable Qu			Reporting			DM	TQ Sec 11
CHEMICAL NAME	EPCRA TP	Q Sec 302	EPCRA R	Q Sec 304	CER	CLA RQ S	ec 103		ec 313	RC	RA Code	RIVII	1 Q Sec 11
Glycol Ethers								Y	es				
SARA	Se	ection 311						on 311 / 31			_		Desetive
CHEMICAL NAME	Hazard	dous Che	mical	Acu	ite	С	hronic	Fla	mmable		Pressure		Reactive
2-(2-Butoxyethoxy)ethanol		Yes		Ye			Yes						
Nonylphenol Ethoxylate		Yes		Ye	10 7. 461								
Sodium Metasilicate Pentahydrate		Yes		Ye		TATE							
RIGHT TO KNOW						STATE	NY	PA	MI	MN	MA	RI	WI
CHEMICAL NAME	CA	СТ	FL	IL	LA	NJ		Yes	1411				
2-(2-Butoxyethoxy)ethanol						Yes	Yes	Yes					
Nonylphenol Ethoxylate						Yes		Yes					
Sodium Metasilicate Pentahydrate			WADNIN	Cl Thie n	roduct		ns chen	nicals kno	wn to th	e state	of Califo	nia to	cause:
CALIFORNIA	040#		Birth De			produc			Carcin				pmental
CHEMICAL NAME	CAS#		Dilui De	ilects		produc			Olomo II				
None Listed			Clean	Air Acts						Clean \	Nater Act	S	
CLEAN AIR WATER ACTS	CAS#		HAP		zone C	lass 1	Ozo	ne Class	2	HS	Р	Р	TP
CHEMICAL NAME	CA5 #		IIAI		20110								
None Listed	TI	ananta of	thic produ	ict are list	ed on t	ne chem	ical inve	entories of	the follow	ving cou	untries:		
MILIAMOTOR		tralia		nada		pe (EIN		Japa		ŀ	Corea		UK
CHEMICAL NAME		es		'es	Luit	Yes	,	Yes			Yes		Yes
Glycol Ethers	I	65					-						
WHMIS Classification CHEMICAL NAME		DSL		Descrip					T	Mata	al		
2-(2-Butoxyethoxy)ethanol Sodium Metasilicate Pentahydrate		Yes Yes	D-2B E	Materia Corrosi			ner To	xic Effect	s; IOXIC	water	al		

ECTION – 16	OTHER INFORMATION		
ode	Hazard and Precautionary Statements		
303	May be harmful if swallowed		
315	Causes skin irritation		
18	Causes serious eye damage		
35	May cause respiratory irritation		
61	Avoid breathing dust/fume/gas/mist/vapours/spray.		
:62	Do not get in eyes, on skin, or on clothing.		
64	Wash thoroughly after handling.		
73	Avoid release to the environment.		
281	Use personal protective equipment as required.		
301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomi	iting.	
302+P352	IF ON SKIN: Wash with plenty of soap and water.		
304+P341	IF INHALED: If breathing is difficult, remove victim to f	fresh air and	keep at rest in a position comfortable for breathing.
305+P351+P338	IF IN EYES: Rinse cautiously with water for several m	inutes. Rem	ove contact lenses, if present and easy to do. Continue rinsing.
314	Get medical advice/attention if you feel unwell.		
362	Take off contaminated clothing and wash before reuse	e.	
376	Stop leak if safe to do so.		
370+P378	In case of fire: Use dry chemicals, CO2, alcohol foam	for extinction	n. Water spray to cool or protect exposed materials
402+P404	Store in a dry place. Store in a closed container.		
	Dispose of contents/ container to an approved waste	disposal pla	nt.
501		1 10 1	
	ESCRIPTION	LC50	A concentration that is lethal to 50% of a given species in a given time
	onference of Governmental Industrial Hygienists		Dose that is lethal to 50% of a given species by a given route of exposure
	ostracts Service Registry	LD50	Lower Explosive Limit
	(15 minutes)	LEL	Experience and the
	sive Environmental Response, Compensation, and Liability Act	LD	Liver Damage Not Applicable
Cochlear Im	pairment	NA ND	Not Determined
	ous System		National Fire Protection Association
	on of a chemical that gives half-maximal response	NFPA	National Institute for Occupational Safety and Health
	tal Protection Agency	NIOSH	Not Established
ye (El = Irritatio	on) (ED = Damage) (EV = Visual Impairment)	NE	
BG Full Bunker		NTP	National Toxicology Program Occupational Safety and Health Administration
	rmonized System	OSHA	The state of the s
AP California H	azardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
MIS-A Safety Glas	ses	PNS	Peripheral Nervous System
MIS-B Safety glass		PP	California Priority Pollutant under the Clean Water Act
MIS-C Safety glass	ses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
MIS-D Face shield	, gloves, chemical apron	RT	Upper Respiratory Tract (SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-E Safety glasses, gloves, dust respirator		Skin	
MIS-F Safety glas	ses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
MIS-G Safety glas	ses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
MIS-H Splash goggles, gloves, chemical apron, vapor respirator		TC Lo	Lowest concentration that is toxic to a given species in a given time
IMIS-I Safety glas	ses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
IMIS-J Splash gog	gles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
	d or mask, gloves, full chemical suit, boots	TP TSCA	California Toxic Pollutant under the Clean Water Act
IMIS-K Air line hoo			Toxic Substances Control Act
-IMIS-X Ask Supen	visor	(505.00000)	
HMIS-X Ask Supen	risor Hazardous Substance under the Clean Water Act	TWA UEL	Time Weighted Average (8 hours) Upper Explosive Limit

Modern Chemical, Inc.

and Abernathy Company have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.